

Glaucoma – ICD-10 coding - Uses H40.-----

Glaucoma Suspect

Open Angle with borderline findings:

- Low Risk (1 or 2 risk factors) OD: H40.011
OS: H40.012
OU: H40.013
- High Risk (3 or more risk factors) OD: H40.021
OS: H40.022
OU: H40.023

Risk Factors: Family History, Race, Elevated IOP, Optic disc appearance, Thin CCT

Anatomical Narrow Angle: OD: H40.031
OS: H40.032
OU: H40.033

Steroid Response OD: H40.041
OS: H40.042
OU: H40.043

Ocular Hypertension OD: H40.051
OS: H40.052
OU: H40.053

For all Glaucoma patients– must indicate the laterality and severity.

The exception is POAG. It is designated as a bilateral condition so you do not have to indicate laterality.

X – is in the 6th digit place and is to be left in the coding sequence.

The 7th digit is for severity of the glaucoma.

Severity:

- 0- Unspecified stage: No severity is indicated in the chart
- 1- Mild stage: ONH abnormalities consistent with GLC, but no VF abnormalities with threshold white on white perimetry. Or abnormalities on SWAP or FDT perimetry
- 2- Moderate stage: ONH abnormalities consistent with GLC and glaucomatous VF abnormalities in one hemifield but not within 5 degrees of fixation
- 3- Severe stage: ONH abnormalities consistent with GLC, and glaucomatous VF abnormalities in both hemifields, and/or loss within 5 degrees of fixation in at least one hemifield.
- 4- Indeterminate stage: For patients that have not had a visual field test performed yet or patients who are incapable of testing or when tests are unreliable or uninterpretable.

Glaucoma: Open Angle: H40.11X + severity

Normal Tension Glaucoma OD: H40.121 + severity
OS: H40.122 + severity
OU: H40.123 + severity

<u>Pigmentary Glaucoma</u>	OD: H40.131 + severity OS: H40.132 +severity OU: H40.133 +severity
<u>Pseudoexfoliation Glaucoma</u>	OD: H40.141 + severity OS: H40.142 +severity OU: H40.143 +severity
<u>Angle Closure Glaucomas</u>	
Acute Angle Closure	OD: H40.211 OS: H40.212 OU: H40.213
Chronic Angle Closure	OD: H40.221 + severity OS: H40.222 + severity OU: H40.223 +severity
Intermittent Angle Closure	OD: H40.231 + severity OS: H40.232 +severity OU: H40.233 +severity
<u>Miscellaneous Glaucomas</u>	
<u>Traumatic glaucoma (Angle recession)</u>	OD: H40.31X + severity OS: H40.32X +severity OU: H40.33X +severity
<u>Glaucoma related to ocular inflammation</u>	OD: H40.41X + severity OS: H40.42X +severity OU: H40.43X +severity
<u>Phacolytic glaucoma</u>	OD: H40.51X + severity OS: H40.52X +severity OU: H40.53X +severity
<u>Steroid induced glaucoma</u>	OD: H40.61X + severity OS: H40.62X +severity OU: H40.63X +severity
<u>Aqueous misdirection (malignant) glaucoma</u>	OD: H40.81X + severity OS: H40.82X +severity OU: H40.83X +severity
Congenital Glaucoma: Glaucoma associated with vascular disorders Plateau Iris – Post iridectomy	Q15.0 H40.89 H21.21